

**Amendments to the Claims:**

1. (currently amended) A method of producing a vertebrate host mimic for modifying a behavior of arthropods which are parasitic to a vertebrate host, the method comprising the steps of:
  - a. providing a lipid based media, wherein the lipid based media consists of is lard;
  - b. providing microorganisms, ~~wherein~~ the microorganisms are of a type found on the being associated with a skin of the host vertebrate and operative to excrete enzymes ~~sub-products~~ which modify the media upon combination with the lipid based media to produce modified lipid based media;
  - c. combining the lipid based media and the microorganisms; and
  - d. collecting the modified lipid based media.
- 2-9 (cancelled)
10. (cancelled)
11. (cancelled)
12. (currently amended) The method of Claim 1 wherein the ~~host skin associated~~ microorganisms are capable of producing proteases, lipases, or cellulases ~~eellulaeses~~.
13. (original) The method of Claim 1 wherein the microorganisms are capable of producing enzymes that hydrolyze lipids.
14. (original) The method of Claim 1 wherein the microorganisms are capable of producing enzymes that produce fatty acids.
15. (original) The method of Claim 1 wherein the microorganisms are capable of producing enzymes that produce fatty alcohols.
16. (original) The method of Claim 1 wherein the microorganisms are capable of producing enzymes that produce fatty aldehydes.
17. (original) The method of Claim 1 wherein the microorganisms are capable of producing enzymes that produce hydroxyacids.
18. (original) The method of Claim 1 further comprising the step of:
  - e. sterilizing the microorganisms.

19. (previously presented) A vertebrate host mimic produced according to the method of Claim 1.

20. (currently amended) A trap to ensnare arthropods which are parasitic to vertebrate hosts, the trap comprising:

an arthropod ensnaring device, wherein the arthropod ensnaring device is selected from the group consisting of a dome trap, a cylinder trap, a bucket trap, a box omni trap, a vane trap, and a box trap; and

a vertebrate host mimic disposed adjacent the arthropod ensnaring device, the vertebrate host mimic produced according to the steps of:

a. providing a lipid based media, wherein the lipid based media consists of lard;

b. providing microorganisms, wherein the microorganisms are of a type found on the being associated with a skin of the host vertebrate and operative to excrete enzymes sub-products which modify the media upon combination with the lipid based media to produce modified media;

c. combining the lipid based media and the microorganisms; and

d. collecting the modified lipid based media.

21. (original) The trap of Claim 20 wherein the vertebrate host mimic is enclosed within the arthropod ensnaring device.

22. (currently amended) A method of producing a vertebrate host mimic for modifying a behavior of arthropods which are parasitic to a vertebrate host, the method comprising the steps of:

a. providing a lipid based media, wherein the lipid based media consists of is lard;

b. providing enzymes, wherein the enzymes being isolated from are of a type excreted by microorganisms found on the associated with a skin of the host vertebrate and are the enzymes being operative to modify the lipid based media upon combination with the lipid based media to produce modified lipid based media;

c. combining the lipid based media and the enzymes; and

d. collecting the modified lipid based media.

23-30 (cancelled)

31. (cancelled)

32. (cancelled)

33. (currently amended) The method of Claim 22 wherein the microorganisms are capable of producing proteases, lipases, or cellulases ~~cellulaeses~~.

34. (original) The method of Claim 22 wherein the microorganisms are capable of producing enzymes that hydrolyze lipids.

35. (original) The method of Claim 22 wherein the microorganisms are capable of producing enzymes that produce fatty acids.

36. (original) The method of Claim 22 wherein the microorganisms are capable of producing enzymes that produce fatty alcohols.

37. (original) The method of Claim 22 wherein the microorganisms are capable of producing enzymes that produce fatty aldehydes.

38. (original) The method of Claim 22 wherein the microorganisms are capable of producing enzymes that produce hydroxyacids.

39. (original) The method of Claim 22 further comprising the step of:

e. sterilizing the microorganisms.

40. (previously presented) A vertebrate host mimic produced according to the method of Claim 22.

41. (currently amended) A trap to ensnare arthropods which are parasitic to vertebrate hosts, the trap comprising:

an arthropod ensnaring device, wherein the arthropod ensnaring device is selected from the group consisting of a dome trap, a cylinder trap, a bucket trap, a box omni trap, a vane trap, and a box trap; and

a vertebrate host mimic disposed adjacent the arthropod ensnaring device, the vertebrate host mimic produced according to the steps of:

a. providing a lipid based media, wherein the lipid based media consists of lard:

b. providing enzymes, ~~wherein the enzymes being isolated from~~ are of a type excreted by microorganisms found on the ~~associated with a skin of the~~ host vertebrate and ~~are the enzymes being~~ operative to modify the lipid based media upon combination with the lipid based media to produce modified lipid based media;

c. combining the lipid based media and the enzymes; and

d. collecting the modified lipid based media.

42. (original) The trap of Claim 41 wherein the vertebrate host mimic is enclosed within the arthropod ensnaring device.

43. (currently amended) A method of producing a vertebrate host mimic for modifying a behavior of arthropods which are parasitic to a vertebrate host, the method comprising the steps of:

providing a single lipid, wherein the lipid ~~consists of~~ is a glyceride;

providing microorganisms, ~~wherein the microorganisms are of a type found on the being associated with a~~ wherein the microorganisms are of a type found on the ~~being associated with a~~ skin of the host vertebrate and operative to excrete ~~enzymes sub-products~~ enzymes which modify the media upon combination with the lipid to produce a modified lipid;

combining the lipid and the microorganisms; and

collecting the modified lipid.

44. (cancelled)

45. (cancelled)

46. (currently amended) A method of producing a vertebrate host mimic for modifying a behavior of arthropods which are parasitic to a vertebrate host, the method comprising the steps of:

providing a single lipid, wherein the lipid ~~consists of~~ is a glyceride;

providing enzymes, ~~wherein the enzymes being isolated from~~ are of a type excreted by microorganisms found on the ~~associated with a~~ skin of the host vertebrate and ~~are the enzymes being~~ operative to modify the lipid;

combining the lipid and the enzymes; and

collecting the modified lipid.

- 47. (cancelled)
- 48. (cancelled)
- 49. (cancelled)
- 50. (cancelled)
- 51. (currently amended) A method of capturing parasitic arthropods, the method comprising:
  - a. providing a trap;
  - b. providing a modified lipid based media adjacent to the trap, wherein the modified lipid based media is produced according to the steps:
    - i. providing a lipid based media, wherein the lipid based media consists of lard;
    - ii. providing microorganisms, wherein the microorganisms are of a type found on the ~~being associated with a~~ skin of a host vertebrate and operative to excrete enzymes ~~sub-products~~ which modify the media upon combination with the lipid based media to produce modified media;
    - iii. combining the lipid based media and the microorganisms; and
    - iv. collecting the modified lipid based media;
  - c. ensnaring at least one arthropod within the trap.
- 52. (previously presented) The method of Claim 51 wherein the trap is selected from the group consisting of a dome trap, a cylinder trap, a bucket trap, a box omni trap, a vane trap, and a box trap.
- 53. (cancelled)